

UNCLASSIFIED

AD NUMBER
AD444677
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 15 FEB 1964. Other requests shall be referred to Air Force Cambridge Research Laboratories, Hanscom AFB, MA.
AUTHORITY
AFCRL ltr dtd 3 Nov 1971

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD 4 4 4 6 7 7

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.


444677

Environmental Research Papers
No. 16



Small-Scale Wind Structure Above 100 Kilometers

SAMUEL P. ZIMMERMAN



Requests for additional copies by Agencies of the Department of Defense, their contractors, and other government agencies should be directed to the:

Defense Documentation Center
Cameron Station
Alexandria, Virginia

Department of Defense contractors must be established for DDC services, or have their 'need-to-know' certified by the cognizant military agency of their project or contract.

Reproduction in whole or in part is permitted for any purpose of the U. S. Government

**Environmental Research Papers
No. 16**

Small-Scale Wind Structure Above 100 Kilometers

SAMUEL P. ZIMMERMAN

Reprinted from JOURNAL OF GEOPHYSICAL RESEARCH, Vol 69, No. 4, February 15, 1964

SPACE PHYSICS LABORATORY PROJECT 6690

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES, OFFICE OF AEROSPACE RESEARCH, UNITED STATES AIR FORCE, L.G. HANSCOM FIELD, MASS.

Small-Scale Wind Structure above 100 Kilometers

SAMUEL P. ZIMMERMAN

*Air Force Cambridge Research Laboratories
Bedford, Massachusetts*

Hines [1960] has estimated the minimum scale size of atmospheric gravity waves by considering the variations from the mean of the wind velocity magnitude that are observed in visible meteor trails at altitudes between 80 and 100 km. To get these estimates he superposes a constant shear upon the measured meteor-trail wind velocity and then measures the altitude between the sequential points where the magnitude of this normalized wind velocity goes to zero. By this method he has subtracted the effect of the mean wind shear from the observed path of the visible trail which leaves atmospheric perturbations, such as gravity waves, to cause deformation of the trail.

This technique is valid only over the altitude range where the mean wind shear is constant. Any altitude variation of the mean wind velocity from a linear function will then introduce errors in the measurement of scale sizes. However, by measuring directly the altitude increment between inflection points of the magnitude of the wind velocity, as deduced from photographs of the trail deformation, the wavelengths or scale sizes of these small-scale perturbations may be determined without the possible error introduced by the superposition of a correcting mean shear field. This technique is valid only if the wavelength of the mean wind velocity is large compared with the wavelength of the small-scale velocity perturbations. Thus the effect of the altitude variation of the mean wind will be to perturb slightly the measurement of the distances between small-scale inflection points. It is instantly recognizable that if the mean wind velocity has a linear altitude dependence, this technique will yield the same results as Hines'.

This type of analysis was applied to sodium trail releases that covered the altitude range of 80 to 160 km. The experiments were performed at Wallops Island, Virginia, by Manning [1962]

and others, at Eglin AFB, Florida, by Rosenberg *et al.* [1963], and at Woomera, Australia, by G. V. Groves (private communication, 1960). The data were separated into summer and winter components as shown in Figures 1 and 2. Superposed on these are the viscous small-scale limitation hypothesized by Hines and the pressure scale height from the 1959 ARDC Model Atmosphere [Minzner *et al.*, 1959], as another scale length of interest. From 100 to 125 km, Hines' small-scale limit indeed shows a relationship to the measured value of these minor nodes; however, at about 130 km, for the summer data, there appears to be an abrupt transition of the nodal sizes from Hines' limit to a




Fig. 1. Summer measurements of vertical half-wavelengths. The data are from NASA Report NAS5-215.




Fig. 2. Winter measurements of vertical half-wavelengths. The data labeled with names are those of Rosenberg et al., December 1962, the data dated December and September are from *NASA Report NAS5-215*, and the August 1960 data points are from Groves at Woomera, Australia. The superposed curves are the same as in Figure 1.

value proportional to the atmospheric pressure scale height. Since the 1959 ARDC atmosphere was compiled for a summer day, a possible connection between the parameters of scale height and the altitude variations of the wind velocity above 140 km is apparent.

These conclusions are obviously rough and highly debatable. However, the empirical fit to data gives some credence to them. It is also obvious that many more experiments of this nature must be performed, to gather more statistical evidence, before any definite conclusion can be reached.

REFERENCES

- Hines, C. O., Internal atmospheric gravity waves at ionospheric heights, *Can. J. Phys.*, **38**, 1441-1481, 1960.
- Manring, E., Study of winds, diffusion and expansion of gases in the upper atmosphere, *NASA Rept. NAS5-215*, 1962.
- Minzner, R. A., K. S. W. Champion, and H. L. Pond, *The ARDC Model Atmosphere, 1959*, Air Force Surveys in Geophysics, no. 115, Air Force Cambridge Research Laboratories, Bedford, Mass., 1959.
- Rosenberg, N. W., H. D. Edwards, and J. W. Wright, Ionospheric winds: Motions into night and sporadic *E* correlations, *Proc. Intern. CO-SPAR Symp., 4th, Warsaw*, North-Holland Publishing Company, Amsterdam, 1963.

(Received August 1, 1963;
revised December 4, 1963.)

ENVIRONMENTAL RESEARCH PAPERS

- No. 1. Examination of a Wind Profile Proposed by Swinbank, *Morton L. Barad, March 1964 (REPRINT)*.
- No. 2. Wind and Temperature Variations During Development of a Low-Level Jet, *Yutaka Izumi, Morton L. Barad, March 1964 (REPRINT)*.
- No. 3. Radiation Pattern of Surface Waves From Point Sources in a Multi-Layered Medium, *N. A. Haskell, March 1964 (REPRINT)*.
- No. 4. Photoelectric Emission Phenomena in LiF and KCl in the Extreme Ultraviolet, *R. G. Newburgh, February 1964 (REPRINT)*.
- No. 5. Equatorial Loci of the Earth's Magnetic Field and Cosmic Ray Parameters, *E. J. Chernosky, J. M. Collins, M. P. Hagan, March 1964*.
- No. 6. Helium and Argon Emission Continua and Their Use in Absorption Cross-Section Measurements in the Vacuum Ultraviolet, *R. E. Huffman, Y. Tanaka, J. C. Larrabee, March 1964 (REPRINT)*.
- No. 7. Airflow and Structure of a Tornadoic Storm, *K. A. Browning, R. J. Donaldson, Jr., March 1964 (REPRINT)*.
- No. 8. Automatic Digital Radar Reflectivity Analysis of a Tornadoic Storm, *David Atlas, Keith A. Browning, Ralph J. Donaldson, Jr., Hugh J. Sweeney, March 1964 (REPRINT)*.
- No. 9. Indications of a Lunar Synodical Period in the Sunshine Observations for Boston, Massachusetts, and Columbia, Missouri, *Iver A. Lund, March 1964*.
- No. 10. A Search for Rainfall Calendaricities, *Glenn W. Brier, Ralph Shapiro, Norman J. MacDonald, March 1964 (REPRINT)*.
- No. 11. Lee Wave Clouds Photographed From an Aircraft and a Satellite, *John H. Conover, April 1964 (REPRINT)*.
- No. 12. Diurnal Variation of the Atmosphere Around 190 Kilometers Derived From Solar Extreme Ultraviolet Absorption Measurements, *L. A. Hall, W. Schweizer, H. E. Hinteregger, April 1964 (REPRINT)*.
- No. 13. Absorption Coefficients of Oxygen in the 1060-580-A Wavelength Region, *R. E. Huffman, J. C. Larrabee, and Y. Tanaka, May 1964 (REPRINT)*.
- No. 14. Sunrise Effects on East-West Ionospheric Propagation Paths, *Thomas D. Conley and David Blood, May 1964*.
- No. 15. Project Firefly 1962-1963, *N. W. Rosenberg, Ed., May 1964*.
- No. 16. Small-Scale Wind Structure Above 100 Kilometers, *Samuel P. Zimmerman, May 1964, (REPRINT)*.